

MATERIAL SAFETY DATA SHEET

SECTION I – IDENTITY AND RESPONSIBLE PARTY INFORMATION

1207090165

Responsible Party:
Canberra Corporation

Product Name: HUSKY 1207 GELLED BASEBOARD STRIPPER

Address: 3610 Holland-Sylvania Rd.
Toledo, Ohio 43615

Date Prepared: 5-1-03

Emergency Telephone No. 1-419-841-6616
And Other Information

Prepared By Regulatory Affairs Department

SECTION II – HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components

| Specific Chemical Identity: Common Name(s) | CAS #'s | WT% | PEL | TWA-TLV |
|--|---------------|---------|----------|----------|
| 2-Butoxyethanol | 111-76-2 | 23.0 | 25ppm | 25ppm |
| Tetrasodium EDTA | 64-02-8 | 0.5-1.0 | ND | ND |
| Organic Phosphate Ester | 00051811-79-1 | 1.0-3.0 | NE | 1 mg/m3 |
| Liquefied Petroleum Gas(LPG) | 68476-85-7 | 5-10 | 1000 ppm | 1000 ppm |

*THIS CHEMICAL IS SUBJECT TO THE REPORTING REQUIREMENTS FOR SECTION 313 OF TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR Part 372

NFPA RATING - HEALTH: 1 FLAMMABILITY: 4 REACTIVITY: 0 PERSONAL PROTECTION EQPT: B

SECTION III – PHYSICAL / CHEMICAL CHARACTERISTICS

| | |
|-----------------------------------|---|
| Boiling Point: N/A | Specific Gravity (H ₂ O = 1): <1.0 |
| Vapor Pressure : 115+/-5 at 130°F | Vapor Density: (Air=1): >1 |
| pH: 11.5 | Evaporation Rate (Ether=1): <1 |
| Solubility in Water: Slight | Appearance and Fragrance: Semi-stable, Foaming Spray Pine Fragrance |

SECTION IV – FIRE AND EXPLOSION HAZARD DATA

Aerosol Flammability: Non-Flammable as described by 16 CFR 1500.45. Flammable Limits – % volume in air LEL – 1.8 UEL –9.2
Extinguishing Media – CO₂/Foam or dry chemical.

Special Fire Fighting Procedures – Containers should be cooled with water to prevent pressure build-up. Use equipment or shielding, as required, to protect personnel from bursting, rupturing or venting containers.

Unusual Fire and Explosion Hazards – At elevated temperatures (over 54C-1300F) containers exposed to direct flame or heat contact should be cooled with water to prevent weakening of container structure.

SECTION V – PHYSICAL HAZARDS

Stability Stable
Stable X
Conditions to Avoid – None Known

Incompatibility (Materials to Avoid) – Oxidizing agents, reactive metals, heat and open flame.

Hazardous Decomposition Products or By-products – Carbon dioxide, carbon monoxide and additional toxic chemicals may be formed in small amounts.

Conditions to Avoid – Do not store above 54C-130°F. Keep away from heat, direct sunlight, open flames or sparks. Dropping of containers may cause bursting.

SECTION VI – HEALTH HAZARDS

| | | | | |
|---|-----------------------------|---------|--------------------------|-----------|
| Route(s) of Entry: | Inhalation? X | Skin? X | Ingestion? X | Eyes? X |
| Health Hazards (1. Acute and 2. Chronic) – 1. ACUTE: Harmful if swallowed. Eye and skin irritant. 2. CHRONIC: None Known. | | | | |
| Chemical Listed as Carcinogen or Potential Carcinogen | National Toxicology Program | No X | I.A.R.C. Monographs No X | OSHA No X |

Signs and Symptoms of Exposure – Respiratory irritation. High concentrations may produce headache, dizziness & nausea. Prolonged or repeated skin contact may lead to drying, irritation & dermatitis. Possible skin absorption. Eye contact may cause burning & irritation. This product contains 2-Butoxyethanol, which if ingested in significant quantities may result in red blood cell hemolysis.

Emergency and First Aid Procedures – **EYE CONTACT:** Flush immediately with water for 15 minutes. Seek medical attention. **SKIN:** Flush immediately with water for 15 minutes. Remove and wash contaminated clothing. **INHALATION:** Move to fresh air. Get medical attention. **INGESTION:** Rinse mouth with water. Then drink 1-2 glasses of water. Induce vomiting. Vomiting should be induced only under supervision of medical personnel. Never give anything by mouth to an unconscious person. Get immediate medical attention.

SECTION VII – PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be Taken in Case Material is Released or Spilled – Remove all sources of ignition and ventilate area. Soak up spill with an inert absorbent and place into a designated disposal container. Consult local regulatory agency for proper disposition of material.

Waste Disposal Method – Do not puncture or incinerate containers. When contents are depleted continue to depress button until all gas is expelled. Dispose of in accordance with local, state and federal regulations.

Precautions to be Taken in Handling and Storing – Avoid breathing vapors. Keep away from heat and flame. Use with adequate ventilation. Do not puncture or incinerate containers. Do not expose to direct sunlight or store at temp. above 130°F (54C). **Other Precautions:** Use only according to label directions. If unsure about safe use, contact your supervisor immediately. **Store as level 1 Aerosol (NFPA 30 B)**

SECTION VIII – CONTROL MEASURES

Respiratory Protection – None required if good ventilation is maintained. If exposure exceeds occupational exposure limits (Sec. II), use a NIOSH approved respirator to prevent overexposure. **Ventilation** – **Local Exhaust:** As Necessary **Mechanical (General):** Adequate **Special:** N/A **Other:** N/A **Protection Gloves:** Chemical Resistant gloves **Eye Protection:** Chemical safety glasses are recommended. **Other Protective Clothing or Equipment** - Wear impervious clothing to prevent skin contact. **Work/Hygiene Practices:** Ensure strict sanitary conditions are conformed to when working around chemicals. Protective clothing & equipment should be in accordance with 29 CFR 1910.132 and CFR 1910.133.

NOTICE: NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR OF ANY OTHER NATURE, ARE MADE WITH RESPECT TO INFORMATION CONCERNING THE PRODUCT REFERRED TO IN THIS MATERIAL SAFETY DATA SHEET.

The goal of defining precisely, in measurable terms, every possible health effect that may occur in the workplace as a result of chemical exposures cannot realistically be accomplished. The information and recommendation contained in this Material Safety Data Sheet are supplied pursuant to 29 C.F.R. 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. The information and recommendations set forth herein are presented in good faith and believed to be correct as of the date hereof. Canberra Corporation, however, makes no representations as to the completeness or accuracy thereof, and information is supplied upon the express condition that the persons receiving the same will be required to make their own determination as to its suitability for their purposes prior to use. In no event will Canberra Corporation be responsible for any damages of any nature whatsoever resulting from the use of, reliance upon, or the misuse of this information. The information as supplied herein is simply to be informative and intended solely to alert the user of the substance which is the subject matter of this Material Safety Data Sheet. The ultimate compliance with federal, state and local regulations concerning the use or disposal of this compound, or compliance with respect to products liability, rests solely upon the purchaser thereof.